


GRIPZON

GRIP. LIFT. SECURE.



**PINNACLE
LIFT-TECH**

AN ISO 9001:2005 CERTIFIED COMPANY

www.pinnaclelifttech.com

ABOUT COMPANY

Pinnacle Lift Tech Pvt Ltd is a trusted name in India for manufacturing and supplying high-quality cargo safety and material handling products. The company is jointly directed by professionals with strong academic and industry backgrounds — one holding an MBA in Logistics & Supply Chain Management, and the other a specialist in Textile Engineering. Both directors also operate their own established companies in the same sector of industrial manufacturing and cargo safety products — both recognized for export-quality material manufacturing. Their individual enterprises further strengthen the foundation of Pinnacle Lift Tech Pvt Ltd by contributing additional expertise, manufacturing capacity, and market insights. Together, they offer a perfect synergy of strategic logistics understanding and textile-based product expertise. The company has established itself with a commitment to innovation, timely delivery, and uncompromised quality. We specialize in products that ensure cargo safety during transport, especially for export container shipments. All our products are manufactured in-house, ensuring strict quality control and timely service.

CORE VALUES:

• Integrity • Customer Focus • Innovation • Quality • Reliability



VISION

To exceed customer expectations by delivering the highest quality products at competitive prices while fostering long-term partnerships and mutual success.

MISSION

To provide unmatched value and service with a skilled team dedicated to fulfilling diverse customer needs. Our success lies in empowering our people to deliver excellence.

SERVICES OFFERED

At Pinnacle Lift Tech Pvt Ltd, we specialize in export container lashing and packaging services, tailored to ensure the safety and stability of goods during international and domestic transit.

Our services are focused on all types of containerized cargo shipments, offering fully compliant, high-strength lashing and securing solutions as per EN 12195 standards. We utilize our in-house manufactured GRIPZON products for superior performance and control.

Our expert team is trained to carry out container securing jobs with precision and consistency, ensuring cargo is protected from shifting, vibrations, and impact throughout the shipping journey. We guarantee secure cargo handling that meets international standards and customer confidence in every shipment.

WHY CHOOSE US?

- **ISO 9001 certified operations**
- **EN 12195-compliant international quality**
- **Rust-free, UV-protected, shock-absorbing materials**
- **Wide product range under brand GRIPZON**
- **Custom sizes, fast delivery, expert service**



SLING WEBBING


- 1 Material : Polyester
- 2 High Tenacity AA Grade Yarn Use
- 3 Customized Production
- 4 Various Color available
- 5 Safety Factor 3:1, 4:1, 5:1, 7:1available

GRADE	B/S(Kgs)	
WIDTH	S.F 5:1	S.F 4:1
25mm	5,000	4,000
50mm	10,000	8,000
75mm	15,000	12,000
100mm	20,000	16,000
125mm	25,000	20,000
150mm	30,000	24,000
200mm	40,000	32,000
250mm	50,000	40,000
300mm	60,000	48,000

Color Code



1"(25mm), Violet



2"(50mm), Green



3"(75mm), Yellow



4"(100mm), Grey



5"(125mm), Red



6"(150mm), Brown



8"(200mm), Blue




10"(250mm), Orange



12"(300mm), Orange

Webbing Sling is?

- 1 Polyester Webbing Slings are made from High Tenacity Polyester Webbing
- 2 Sewing products made by sling Webbing
- 3 It is widely used for Industrial Site, Cargo Transportation and Cargo Lifting.



SLING WEBBING


Advantage of Polyester Webbing Slings

Polyester Webbing Slings have more advantages than Wire Rope and Chain Slings

- 01 Polyester Webbing Slings are much lighter & Flexible, so easy to rig and handle
- 02 Minimize the shock loading and can absorb heavy shocks without damage
- 03 Classified by COLOR CODE to avoid misusages
- 04 Do not rust or corrode, so do not weaken the edge
- 05 Save storage cost and easy to store because of flexible and lightweight
- 06 No electric conductivity
- 07 Reduce the machine downtime
- 08 Cost saving due to Low initial cost and have long life time
- 09 Easy to visual inspection, save the inspection and proof load test time
- 10 Lower industrial losses because of do not damage sensitive and delicate surface
- 11 Able to print company name or requirement on Webbing sling




Type



Eye to Eye



Endless



Technical Specification

- 1 Color coded according to DIN-EN 1492-1
- 2 Capacity stripes: each stripe is equal to 1ton capacity
- 3 Material : Polyester
- 4 Safety factor : 3:1, 4:1, 5:1 or 7:1
- 5 Type: 2Ply & 4Ply available
- 6 According to machine CE & BS standard

Width (mm)	Color	S.W.L (kg)	Eye to Eye type double layers				
			Straight Lift	Choked Lift	Basket Lift	Basket Lift 45°	Basket Lift 45~60°
							
			1 Time	0.8 Time	2 Time	1.4 Time	1 Time
25	Violet	1,000	1,000	800	2,000	1,400	1,000
50	Green	2,000	2,000	1,600	4,000	2,800	2,000
75	Yellow	3,000	3,000	2,400	6,000	4,200	3,000
100	Grey	4,000	4,000	3,200	8,000	5,600	4,000
125	Red	5,000	5,000	4,000	10,000	7,000	5,000
150	Brown	6,000	6,000	4,800	12,000	8,400	6,000
200	Blue	8,000	8,000	6,400	16,000	11,200	8,000
250	Orange	10,000	10,000	8,000	20,000	14,000	10,000
300	Orange	12,000	12,000	9,600	24,000	16,800	12,000

AA SLEEVES

Tubular Type



Velcro Type




ROUND SLING

Round Sling is?

A Round Sling is composed of inner High Tenacity Polyester Yarns and outer Polyester Tube. Inner High Tenacity Polyester Yarn maintain strength and Outer Polyester Tube wrapping the inner Polyester Yarn to prevent from the damage.


Type



Eye to Eye



Endless



Advantage of Round Sling

- 1 Compare to Webbing Sling and Wire rope, it is more flexible, light weight, lifting work becomes simple and fast.
- 2 The volume is smaller than Webbing Sling, it has easy storage
- 3 The outer Tube is Soft, so it doesn't cause any damage to the cargo during the lifting work.
- 4 It is composed of many Polyester yarn, so it can't cutting easily and can know when replacement time.


Technical Specification

- 1 Color coded according to DIN-EN 1492-1
- 2 Capacity : stripes(each stripe is equal to 1ton capacity) or print
- 3 Material : Polyester, Aramid, UHMWPE
- 4 Safety factor : 5:1 or 7:1
- 5 Seamless, single cover up to 300MT, thereafter with side-seam

CRANE SLING

Crane Sling is?

- 1 Crane Sling has advantage Webbing Sling & Round Sling
- 2 The type that is made flat by sewing on Round Sling.



Advantage of Crane Sling

- 1 Crane Sling is widely using in construction field
- 2 Crane Sling enhanced merit of Round Sling with Eye to Eye type and longer life time(3 times of Round Sling)
- 4 Easy to handle, because it is made same as Round Sling
- 5 Easy to Lift products with wide width
- 6 Easy to keep and store
- 7 Safety Factor : 7:1


Actual Using of Lifting slings



CARGO LASHING SYSTEM

Cargo lashing is?

Cargo lashing is composed with Buckle, belt and end fittings. The end fittings are optional according to specific requirement. It is widely used in transportation such as tow truck self-saving, cargo binding, cargo lashing. Cargo lashing is widely used in all kinds of field with its advantages.



Cargo Lashing system with Stitched

Advantage of Polyester Ratchet Lashing System

- 1 High Tenacity Polyester webbing has high resistance to abrasion
- 2 Wide range of selection from various colors and width
- 3 Less risk of damage to the cargo on load
- 4 Easily check damage by eye because of no hidden corrosion
- 5 Available customized printing


1"(25mm) Cargo Lashing system



		
J HOOK	FLAT HOOK	EYE
Breaking Strength		1" × 1,000kgs
Available Belt Color		Orange, Blue, Yellow


1.5"(35mm) Cargo Lashing system



			
J HOOK	FLAT HOOK	FLAT SNAP HOOK	EYE
Breaking Strength		1.5" × 2,000kgs / 1.5" × 3,000kgs	
Available Belt Color		Orange, Blue, Yellow	


2"(50mm) Cargo Lashing system



			
J HOOK WITH LATCH	FLAT HOOK	FLAT SNAP HOOK	EYE
Breaking Strength		2" × 5,000kgs / 2" × 2,500kgs	
Available Belt Color		Orange, Yellow	


3"(75mm) Cargo Lashing system



			
J HOOK	FLAT HOOK	DELTA HOOK	EYE
Breaking Strength		3" × 10,000kgs	
Available Belt Color		Orange, Yellow	

4"(100mm) Cargo Lashing system



			
J HOOK	FLAT HOOK	DELTA HOOK	EYE
Breaking Strength		4" × 12,000kgs	
Available Belt Color		Orange, Yellow	

CARGO LASHING SYSTEM

Various Cargo Lashing Belt



CL2510/15

CL3515/30

CL5020/30/50

CL75100

CL100100/150

- 1 Material : Polyester
- 2 Width : 25mm-100mm
- 3 Color : Various color available
- 4 Design : customized product available
- 5 Print : customized print available

Various Ratchet & End Fitting

Ratchet Buckle



Rb5060 2"(50mm × 6,000KGS)
Rb2508 1"(25mm × 800KGS)
Rb2515 1"(25mm × 1,500KGS)
Rb3530 1.5"(35mm × 3,000KGS)
Rb5050 2"(50mm × 5,000KGS)
Rb7510 3"(75mm × 8,000KGS)
Rb1010 4"(100mm × 10,000KGS)
Rb5050 2"(50mm × 5,000KGS) Ratchet Buckle + snaphook

End-Fitting



Cb2505 1"(25mm × 500KGS) Cambuckle
Cb3507 1.5"(38mm × 700KGS) Cambuckle
Cb5008 2"(50mm X 800KGS) Cambuckle
Pb2510 1"(25mm × 1,200KGS) Pushbuckle
Wh2515 1"(25mm × 1,500KGS) Double J Hook
Wh3530 1.5"(35mm × 3,000KGS) Double J Hook
Wh5050 2"(50mm × 5,000KGS) Double J Hook
Wh7510 3"(75mm × 8,000KGS) Double J Hook
Wh1010 4"(100mm × 10,000KGS) Double J Hook
Fh2508 1"(25mm × 800KGS) Flat Hook
Fh5025 2"(50mm × 2,500KGS) Flat Hook
Cc2503 1"(25mm × 300KGS) Crocodile Clip
Sh2510 25mm × 1,000KGS S Hook, PVC Coated
Fs5050 2"(50mm × 5,000KGS) Flat Snap Hook

Square Buckle



OWB3030 (30mm × 3,000kgs)
OWB4040 (40mm × 8,000KGS)
OWB5050 (50mm × 10,000kgs)
OWB5060 (50mm × 15,000kgs)

Others



2"(50mm × 5,000kgs) Hook & Keeper
 2"(50mm × 1,500kgs) D Ring
 3"(75mm × 8,000kgs) Delta Hook
 2"(50mm × 5,000kgs) Claw Hook
 2"(50mm × 5,000KGS) Triangle Buckle
SB50501W (50mm × 5,000KGS) Webbing Adjuster

Various Plastic Protection Pad



CARGO LASHING SYSTEM

Various Tensioner

A Tensioner is a device that applies a force to create or maintain Tension on Belt.



Tensioner(P-472)

Available Size :
13MM ~ 32MM



Tensioner(R50XXL)

Available Size :
32MM ~ 50MM



Tensioner(P580)

Available Size :
32MM ~ 50MM



Tensioner(P-330)

Available Size :
13MM ~ 32MM



Tensioner (PH-350)

Available Size :
32MM ~ 50MM

How to use

Tensioner



Insert the Belt to Square Buckle



Insert the below Belt to Stopper



Insert the upper Belt to cutter and
Tension Wheel



Push the Handle, then apply the
Tension and the belt is tightened



Press the Handle to cut the Belt

PRODUCT RANGE

Each GRIPZON product is engineered for safety, strength, and ease of use. Designed with global quality benchmarks, these products are built to withstand tough industrial conditions and offer lasting reliability. Below are brief yet detailed descriptions of each product type we offer:

LIFTING SLINGS GRIPZON



Simplex Lifting Sling



Duplex Lifting Sling




Endless Lifting Sling



One-Way Web Sling



Round Lifting Sling



Coil Lifting Sling



Drum Lifting Sling



Multileg Bridle Sling



Anti-Abrasive Sleeve

CARGO LASHING

GRIPZON



Narrow Woven Fabric



Cargo Lashing Ratchet



Ratchet Lashing Endless



Cam Buckle Strap



Ratchet Assemblies



Car Lashing



Cargo Lashing Strap



Cotton Sleeve for Strap



Plastic Corner Guard



Towing Straps



Wire Rope Sling



Chain Sling

LASHING ACCESSORIES

GRIPZON



Welded Buckle



Forged Buckle



Sheet Metal Buckle




Wire Buckle



J Hook



Rave Hook



S Hook



Cam Buckle



Snap Hook



Eye Hook



Swivel Hook




D Hook



D Shackle



Bow Shackle



Chain Link Connector

DUNNAGE SOLUTIONS

GRIPZON




Dunnage Bag



Cargo Nets



Air Filling Gun



LIFTING CLAMPS & PULLEYS

GRIPZON



Plate Lifting Clamp



Non-Marring Plate Lifting Clamp



Beam Lifting Clamp



Chain Pulley Block



Chain Electric Hoist



Ratchet Lever Hoist



CERTIFICATIONS

Certificate of Registration

This is to certify that

PINNACLE LIFT-TECH PRIVATE LIMITED
I, GAT NO 862/1, PUNE NAGAR ROAD, NEAR CANEL, KONDHAPURI,
PUNE, MAHARASHTRA, 412209, INDIA

Has been independently assessed by QRO
and is compliant with the requirement of:

ISO 9001:2015

Quality Management System

For the following scope of activities:

MANUFACTURING OF NARROW WOVEN FABRIC, POLYESTER WEAVING SLINGS, LASHING BELTS & CARGO SECURING FITTING, LIFTING DUPLEX SLINGS, ONE WAY LASHING, ONE WAY LIFTING SLINGS, LIFTING CHAIN, LIFTING WEB ROPES, SHOT BRACKLES, LIFTING FITTINGS TOOLS & TUCKERS, LIFTING CLAMP, CHAIN PLEYS, BODYS, STRAPPING TOOLS, SATCHETS & BUCKLES, DONNAGE BAGS, CARGO NETS

Date of Certification: 21st July 2025
1st Surveillance Audit Due: 20th July 2026
2nd Surveillance Audit Due: 20th July 2027
Certificate Expiry: 20th July 2028

Certificate Number: 305025072160Q

The validity of this certificate is subject to annual surveillance audits at intervals of no less than three months from date of issue.
(No new surveillance audit will be allowed to be conducted this certificate shall be suspended / withdrawn).

The Validity of the certificate can be verified by www.qroindia.org

This certificate of registration remains the property of QRO® (Certification LLP) and shall be returned immediately upon request.

Head Office : QRO® (Certification) LLP
B-10, Plot Phase, Arund Institute, New Parkside View Near Main Station, Delhi-110001, (INDIA)
Website : www.qroindia.org, E-mail : info@qroindia.org


सत्यमेव जयते

GOVERNMENT OF INDIA
MINISTRY OF CORPORATE AFFAIRS
Central Registration Centre
Certificate of Incorporation

[Pursuant to sub-section (2) of section 7 and sub-section (1) of section 8 of the Companies Act, 2013 (18 of 2013) and rule 18 of the Companies Incorporation Rules, 2014]

I hereby certify that **PRASADLIFT TECH PRIVATE LIMITED** is incorporated on this **FOURTH day of MARCH TWO THOUSAND TWENTY TWO**, under the Companies Act, 2013 (18 of 2013) and that the company is Company limited by shares

The Corporate Identity Number of the company is **U99949GZ00027C360002**
The Permanent Account Number (PAN) of the company is **AAAP091788F**
The Tax Deduction and Collection Account Number (TAN) of the company is **NRBP000690D**

Gives under my hand at Mumbai this **FOURTH day of MARCH TWO THOUSAND TWENTY TWO**

Undersecretary, Government of India

Undersecretary, Government of India
Assistant Registrar of Companies/ Deputy Registrar of Companies
For and on behalf of the Architectural Registrar of Companies
Registrar of Companies
Central Registration Centre

Declaration: This certificate only evidences incorporation of the company on the basis of documents and declarations of the applicants. It is necessary to further to business for incorporation to conduct business in various capacities or to seek bank credit, incorporation of new partner in company or to carry out any other business, registration details and other details of the company can be verified on MCA21.GOV.IN

Mailing Address as per registered address in Registrar of Companies office:
PRASADLIFT TECH PRIVATE LIMITED
[CAT NO RES1], NEAR CANAL, KODAKAPURU, TATA SHIPPL, KODAKPURU, Bhubaneswar, P.O.-751005, Odisha

*As Issued by Section Nine Department





GOVERNMENT OF INDIA / भारत सरकार
Ministry of Commerce and Industry / वाणिज्य और उद्योग विभाग
Directorate General of Foreign Trade / विदेश व्यापार निदेशालय
Office of the Joint Director General of Foreign Trade, Pune /विदेश व्यापार निदेशालय, पुणे
C Block, PMT Complex, Connaught Place, New Delhi, India. 110028 / नई दिल्ली, पश्चिमी
महानगर, कनॉट प्लेस नई दिल्ली 110028, भारत, भारत, भारत, भारत

Importer-Exporter Code

This is to certify that **FUNACE LEFT-TOCH PRIVATE LIMITED** is issued as
 Importer-Exporter Code (IEC) **AAFCF917784** with details as follows :-

IEC:	AAFCF917784
आर एम एन ई सी / IAN	AAFCF917784
आर एम एन ई सी Name	PRASAD LEFT-TOCH PRIVATE LIMITED
आर एम एन ई सी / Nature of Concern	Private Limited
आर एम एन ई सी / Date of Issue	30/07/2025
आर एम एन ई सी / Address	GAT HOP 5021, CANOL ROAD OFF TO TAKHIMA ENGO, ENGOHAPURI, PUNE. MAGAR KHEWAT, SHIRUR, PUNE - 412209, PUNE, PUNE, MAHARASHTRA, 412209
आर एम एन ई सी / Name of the Signatory	Archit Arvind Patil
आर एम एन ई सी / Partner Details	Radio online at http://dgt.gov.in or on the QR Code
आर एम एन ई सी / Branch Details	Radio online at http://dgt.gov.in or on the QR Code
Last Modified :	30/07/2025
File Number :	PUNECPAPPY0001310426



Note: This is a system-generated certificate. Authenticity / Updated details of the IEC can be checked at official DGT website www.dgt.gov.in by entering the IEC and Firm Name under Services > View App IEC Details. You can also authenticate the certificate by scanning the QR code.

 Government of India Form GRT REG-6 (1st July 2012) Registration Certificate			
Registration Number : JZANCR12010018			
1. Legal Name	PRINCE LIFT-TECH PRIVATE LIMITED		
2. Trade Name, if any	PRINCE LIFT-TECH PRIVATE LIMITED		
3. Additional trade names, if any			
4. Constitution of Business	Private Limited Company		
5. Address of Principal Place of Business	Floor No. 1 Building No. 10/11, Rd to SST House of Promoters/Building, PRINCE LIFT-TECH PRIVATE LIMITED Industrial Area Phase II/Ind Madhya Loknagar West Circle Lucknow/Lucknow/UP/India City/State/Village/Postal Code District/Zone State/Union territory PIN Code/ZIP Code		
6. Date of Liability			
7. Period of Validity	From	00/00/0000	To Not Applicable
8. Type of Registration	Regular		
9. Undertaking of Accounting	Direct		
Signature			
Name: Rajeshwar Singh Yadav			
Designation: Director			
Authorized Official: JZANCR12010018			
Date of Issue of Certificate: 00/00/0000			
Note: The registration certificate is required to be prominently displayed at all places of business in the State. This is a system generated stubby signed Registration Certificate issued based on the approval of registration granted on submission by the jurisdiction authority.			

UDYAM REGISTRATION CERTIFICATE											
UDYAM REGISTRATION NUMBER		UDYAM-MH-26-0955902									
NAME OF ENTERPRISE		PINNACLE LIFT-TECH PRIVATE LIMITED									
TYPE OF ENTERPRISE *		<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="width: 15%;">Sl.No.</th> <th style="width: 35%;">Classification Year</th> <th style="width: 35%;">Enterprise Type</th> <th style="width: 15%;">Classification Date</th> </tr> </thead> <tbody> <tr> <td style="text-align: center;">1</td> <td style="text-align: center;">2025-26</td> <td style="text-align: center;">Micro</td> <td style="text-align: center;">23/07/2025</td> </tr> </tbody> </table>		Sl.No.	Classification Year	Enterprise Type	Classification Date	1	2025-26	Micro	23/07/2025
Sl.No.	Classification Year	Enterprise Type	Classification Date								
1	2025-26	Micro	23/07/2025								
MAJOR ACTIVITY		MANUFACTURING									
SOCIAL CATEGORY OF ENTREPRENEUR		GENERAL									
NAME OF (ENTER)		<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="width: 40%;">Sl.No.</th> <th style="width: 60%;">Name of (Enter)</th> </tr> </thead> <tbody> <tr> <td style="text-align: center;">1</td> <td>PINNACLE LIFT-TECH PRIVATE LIMITED</td> </tr> </tbody> </table>		Sl.No.	Name of (Enter)	1	PINNACLE LIFT-TECH PRIVATE LIMITED				
Sl.No.	Name of (Enter)										
1	PINNACLE LIFT-TECH PRIVATE LIMITED										
OFFICE ADDRESS OF ENTERPRISE		<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="width: 50%;">Sl.No.</th> <th style="width: 50%;">Name of Premises</th> </tr> </thead> <tbody> <tr> <td style="text-align: center;">1</td> <td>PINNACLE LIFT-TECH PRIVATE LIMITED</td> </tr> </tbody> </table>		Sl.No.	Name of Premises	1	PINNACLE LIFT-TECH PRIVATE LIMITED				
Sl.No.	Name of Premises										
1	PINNACLE LIFT-TECH PRIVATE LIMITED										
		<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="width: 50%;">Sl.No.</th> <th style="width: 50%;">Name of Premises</th> </tr> </thead> <tbody> <tr> <td style="text-align: center;">1</td> <td>PINNACLE LIFT-TECH PRIVATE LIMITED</td> </tr> </tbody> </table>		Sl.No.	Name of Premises	1	PINNACLE LIFT-TECH PRIVATE LIMITED				
Sl.No.	Name of Premises										
1	PINNACLE LIFT-TECH PRIVATE LIMITED										
		<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="width: 50%;">Sl.No.</th> <th style="width: 50%;">Name of Premises</th> </tr> </thead> <tbody> <tr> <td style="text-align: center;">1</td> <td>PINNACLE LIFT-TECH PRIVATE LIMITED</td> </tr> </tbody> </table>		Sl.No.	Name of Premises	1	PINNACLE LIFT-TECH PRIVATE LIMITED				
Sl.No.	Name of Premises										
1	PINNACLE LIFT-TECH PRIVATE LIMITED										
		<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="width: 50%;">Sl.No.</th> <th style="width: 50%;">Name of Premises</th> </tr> </thead> <tbody> <tr> <td style="text-align: center;">1</td> <td>PINNACLE LIFT-TECH PRIVATE LIMITED</td> </tr> </tbody> </table>		Sl.No.	Name of Premises	1	PINNACLE LIFT-TECH PRIVATE LIMITED				
Sl.No.	Name of Premises										
1	PINNACLE LIFT-TECH PRIVATE LIMITED										
		<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="width: 50%;">Sl.No.</th> <th style="width: 50%;">Name of Premises</th> </tr> </thead> <tbody> <tr> <td style="text-align: center;">1</td> <td>PINNACLE LIFT-TECH PRIVATE LIMITED</td> </tr> </tbody> </table>		Sl.No.	Name of Premises	1	PINNACLE LIFT-TECH PRIVATE LIMITED				
Sl.No.	Name of Premises										
1	PINNACLE LIFT-TECH PRIVATE LIMITED										
		<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="width: 50%;">Sl.No.</th> <th style="width: 50%;">Name of Premises</th> </tr> </thead> <tbody> <tr> <td style="text-align: center;">1</td> <td>PINNACLE LIFT-TECH PRIVATE LIMITED</td> </tr> </tbody> </table>		Sl.No.	Name of Premises	1	PINNACLE LIFT-TECH PRIVATE LIMITED				
Sl.No.	Name of Premises										
1	PINNACLE LIFT-TECH PRIVATE LIMITED										
		<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="width: 50%;">Sl.No.</th> <th style="width: 50%;">Name of Premises</th> </tr> </thead> <tbody> <tr> <td style="text-align: center;">1</td> <td>PINNACLE LIFT-TECH PRIVATE LIMITED</td> </tr> </tbody> </table>		Sl.No.	Name of Premises	1	PINNACLE LIFT-TECH PRIVATE LIMITED				
Sl.No.	Name of Premises										
1	PINNACLE LIFT-TECH PRIVATE LIMITED										
		<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="width: 50%;">Sl.No.</th> <th style="width: 50%;">Name of Premises</th> </tr> </thead> <tbody> <tr> <td style="text-align: center;">1</td> <td>PINNACLE LIFT-TECH PRIVATE LIMITED</td> </tr> </tbody> </table>		Sl.No.	Name of Premises	1	PINNACLE LIFT-TECH PRIVATE LIMITED				
Sl.No.	Name of Premises										
1	PINNACLE LIFT-TECH PRIVATE LIMITED										
		<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="width: 50%;">Sl.No.</th> <th style="width: 50%;">Name of Premises</th> </tr> </thead> <tbody> <tr> <td style="text-align: center;">1</td> <td>PINNACLE LIFT-TECH PRIVATE LIMITED</td> </tr> </tbody> </table>		Sl.No.	Name of Premises	1	PINNACLE LIFT-TECH PRIVATE LIMITED				
Sl.No.	Name of Premises										
1	PINNACLE LIFT-TECH PRIVATE LIMITED										
		<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="width: 50%;">Sl.No.</th> <th style="width: 50%;">Name of Premises</th> </tr> </thead> <tbody> <tr> <td style="text-align: center;">1</td> <td>PINNACLE LIFT-TECH PRIVATE LIMITED</td> </tr> </tbody> </table>		Sl.No.	Name of Premises	1	PINNACLE LIFT-TECH PRIVATE LIMITED				
Sl.No.	Name of Premises										
1	PINNACLE LIFT-TECH PRIVATE LIMITED										
		<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="width: 50%;">Sl.No.</th> <th style="width: 50%;">Name of Premises</th> </tr> </thead> <tbody> <tr> <td style="text-align: center;">1</td> <td>PINNACLE LIFT-TECH PRIVATE LIMITED</td> </tr> </tbody> </table>		Sl.No.	Name of Premises	1	PINNACLE LIFT-TECH PRIVATE LIMITED				
Sl.No.	Name of Premises										
1	PINNACLE LIFT-TECH PRIVATE LIMITED										
		<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="width: 50%;">Sl.No.</th> <th style="width: 50%;">Name of Premises</th> </tr> </thead> <tbody> <tr> <td style="text-align: center;">1</td> <td>PINNACLE LIFT-TECH PRIVATE LIMITED</td> </tr> </tbody> </table>		Sl.No.	Name of Premises	1	PINNACLE LIFT-TECH PRIVATE LIMITED				
Sl.No.	Name of Premises										
1	PINNACLE LIFT-TECH PRIVATE LIMITED										
		<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="width: 50%;">Sl.No.</th> <th style="width: 50%;">Name of Premises</th> </tr> </thead> <tbody> <tr> <td style="text-align: center;">1</td> <td>PINNACLE LIFT-TECH PRIVATE LIMITED</td> </tr> </tbody> </table>		Sl.No.	Name of Premises	1	PINNACLE LIFT-TECH PRIVATE LIMITED				
Sl.No.	Name of Premises										
1	PINNACLE LIFT-TECH PRIVATE LIMITED										
		<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="width: 50%;">Sl.No.</th> <th style="width: 50%;">Name of Premises</th> </tr> </thead> <tbody> <tr> <td style="text-align: center;">1</td> <td>PINNACLE LIFT-TECH PRIVATE LIMITED</td> </tr> </tbody> </table>		Sl.No.	Name of Premises	1	PINNACLE LIFT-TECH PRIVATE LIMITED				
Sl.No.	Name of Premises										
1	PINNACLE LIFT-TECH PRIVATE LIMITED										
		<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="width: 50%;">Sl.No.</th> <th style="width: 50%;">Name of Premises</th> </tr> </thead> <tbody> <tr> <td style="text-align: center;">1</td> <td>PINNACLE LIFT-TECH PRIVATE LIMITED</td> </tr> </tbody> </table>		Sl.No.	Name of Premises	1	PINNACLE LIFT-TECH PRIVATE LIMITED				
Sl.No.	Name of Premises										
1	PINNACLE LIFT-TECH PRIVATE LIMITED										
		<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="width: 50%;">Sl.No.</th> <th style="width: 50%;">Name of Premises</th> </tr> </thead> <tbody> <tr> <td style="text-align: center;">1</td> <td>PINNACLE LIFT-TECH PRIVATE LIMITED</td> </tr> </tbody> </table>		Sl.No.	Name of Premises	1	PINNACLE LIFT-TECH PRIVATE LIMITED				
Sl.No.	Name of Premises										
1	PINNACLE LIFT-TECH PRIVATE LIMITED										
		<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="width: 50%;">Sl.No.</th> <th style="width: 50%;">Name of Premises</th> </tr> </thead> <tbody> <tr> <td style="text-align: center;">1</td> <td>PINNACLE LIFT-TECH PRIVATE LIMITED</td> </tr> </tbody> </table>		Sl.No.	Name of Premises	1	PINNACLE LIFT-TECH PRIVATE LIMITED				
Sl.No.	Name of Premises										
1	PINNACLE LIFT-TECH PRIVATE LIMITED										
		<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="width: 50%;">Sl.No.</th> <th style="width: 50%;">Name of Premises</th> </tr> </thead> <tbody> <tr> <td style="text-align: center;">1</td> <td>PINNACLE LIFT-TECH PRIVATE LIMITED</td> </tr> </tbody> </table>		Sl.No.	Name of Premises	1	PINNACLE LIFT-TECH PRIVATE LIMITED				
Sl.No.	Name of Premises										
1	PINNACLE LIFT-TECH PRIVATE LIMITED										
		<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="width: 50%;">Sl.No.</th> <th style="width: 50%;">Name of Premises</th> </tr> </thead> <tbody> <tr> <td style="text-align: center;">1</td> <td>PINNACLE LIFT-TECH PRIVATE LIMITED</td> </tr> </tbody> </table>		Sl.No.	Name of Premises	1	PINNACLE LIFT-TECH PRIVATE LIMITED				
Sl.No.	Name of Premises										
1	PINNACLE LIFT-TECH PRIVATE LIMITED										
		<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="width: 50%;">Sl.No.</th> <th style="width: 50%;">Name of Premises</th> </tr> </thead> <tbody> <tr> <td style="text-align: center;">1</td> <td>PINNACLE LIFT-TECH PRIVATE LIMITED</td> </tr> </tbody> </table>		Sl.No.	Name of Premises	1	PINNACLE LIFT-TECH PRIVATE LIMITED				
Sl.No.	Name of Premises										
1	PINNACLE LIFT-TECH PRIVATE LIMITED										
		<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="width: 50%;">Sl.No.</th> <th style="width: 50%;">Name of Premises</th> </tr> </thead> <tbody> <tr> <td style="text-align: center;">1</td> <td>PINNACLE LIFT-TECH PRIVATE LIMITED</td> </tr> </tbody> </table>		Sl.No.	Name of Premises	1	PINNACLE LIFT-TECH PRIVATE LIMITED				
Sl.No.	Name of Premises										
1	PINNACLE LIFT-TECH PRIVATE LIMITED										
		<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="width: 50%;">Sl.No.</th> <th style="width: 50%;">Name of Premises</th> </tr> </thead> <tbody> <tr> <td style="text-align: center;">1</td> <td>PINNACLE LIFT-TECH PRIVATE LIMITED</td> </tr> </tbody> </table>		Sl.No.	Name of Premises	1	PINNACLE LIFT-TECH PRIVATE LIMITED				
Sl.No.	Name of Premises										
1	PINNACLE LIFT-TECH PRIVATE LIMITED										

BATCH OF UPGRAM REGISTRATION		22072023	
* In case of graduation (graduation of status of an enterprise, the benefit of the Government Scheme will be voided as per the provision of Notification No. 6-6/2018) issued on 04.06.2018 issued by the Govt. of India. Declaration: This is complete passport statement, no duplicate request. info@msme.gov.in & Date of declaration- 22/07/2023 For my authentic, you may contact:			
1. District Industries Centre		PUNE (MAHARASHTRA)	
2. MSME DFO:		NEERAJ K. MAHARASHTRA)	
Visit : www.msme.gov.in ; www.dcmsme.gov.in ; www.msme.gov.in		  	
Follow us @msmememe :     @msme			



Certificate

CE

We hereby declare that the technical file of product complies with the requirement of
 EN 1493-1:2004+A1:2008 Tennis string – Safety – Part 1 Flat woven webbing strings made of
 man-made fibres for general purpose use

PINNACLE LIFT-TECH PVT. LTD.

ADDRESS : 1. GAT NO 5621, PUNE NAGAR ROAD, NEAR CANEL,
 KONDHAPURI, PUNE, MAHARASHTRA, 412209, INDIA

PRODUCT : REFER APPENDIX-I

This certificate is based on the following conditions:
 1. I apply only to the public information on the manufacture of above referenced article and I do not substitute the design
 of the manufacturer and I do not make any claim of originality.
 2. The certificate attests to conformity of the product with the relevant safety.
 3. After having the relevant Declaration signed by the manufacturer and affix to each batch of the manufactured
 product, I shall issue a copy of this certificate to the manufacturer and retain a copy of the certificate and the
 Declaration of compliance with at least 10°C above the date of expiry of the certificate. The statement is identical to a single evaluation of the sample for above
 mentioned product. I shall not engage in any activity of falsifying product.

Certificate Number: UC-01430

Date of Certification: 22nd July 2025

Date of Expiry: 22nd July 2028

1st Surveillance Date: 23rd July 2026

2nd Surveillance Date: 23rd July 2027











Authorized Signature

Validity of this certificate is subject to annual surveillance audits and successful

compliance with the conditions of approval or in case of non-compliance with said annual surveillance audits.

Unsuccessful compliance is an independent conformity assessment and is accredited by General Accrediting Institute.

Validity of this certificate is subject to annual surveillance audits and successful compliance with the conditions of approval or in case of non-compliance with said annual surveillance audits.

India Office: 4/8, 3rd Phase, Dattajee Compound, Sant Nagar, New Delhi-110084

UK Office: 27 Old Gloucester Street, London, United Kingdom, WC1N 3AR

	
APPENDIX - I	
PINNACLE LIFE-TECH PVT. LTD.	
PRODUCTS :	
NARROW WOYEN FABRIC, POLYESTER WEBBING SLINGS, LASHING BELTS & CARGO SECURING FITTING, LIFTING DUPLEX SLINGS, ONE WAY LASHING, ONE WAY LIFTING SLINGS, CHAIN SLINGS, LIFTING WIRE ROPES, BEE SHACKLES, LIFTING FITTINGS TOOLS & TACKLES, LIFTING CLAMPS, CHAIN PULLEY, HOISTS, STRAPPING TOOLS, RATCHEITS & BUCKLES, DUNNAGE BAGS, CARGO NETS	
Certificate Number: U-C-#1430	
Date of Certification: 22 nd Jul 2025	Y ^o Surveillance Due: 27 th Jul 2026
Date of Expiry : 27 th Jul 2028	Z ^{ro} Surveillance Due : 27 th Jul 2027
  →  <i>Authorized Signature</i> * Validity of this certificate is subject to annual surveillance audits done successfully This can be made known the purport of it by written notification and must be returned whenever demanded. Unconditional conformity assessment body and is accredited by General Administration Limited, Validity of this can be made as per mentioned at:- India Office: 401, 3rd Floor, Dallas Complex, Sarai Nagan, New Delhi-110004 UK Office: 27 Old Gloucester Street, London, United Kingdom, WC1N 3AX	



PINNACLE
LIFT-TECH

THANK YOU

for proceeding with your precious time to go
through our company profile.
Kindly let us know about any requirements.

PINNACLE LIFT-TECH

An ISO 9001:2015 Certified Company

FACTORY ADDRESS: GAT NO. 562/1, KONDHAPURI,
PUNE-NAGAR HIGHWAY, TAL. SHIRUR, PUNE – 412209(INDIA)

Contact : +91-8390551137, +91-8390109155

Email: pinnaclelifttech@gmail.com
Website : www.pinnaclelifttech.com